

Hafiz Muhammad Saleem (Director)

- 1 Saleem.M.and Manzoor-ul- 1984 Rearing of Silkworm, Bombyx Mori Linn. On
Haq different Mulberry varieties J.Agric, Res.,
22(1): 63-66
- 2 Haque,M. and M.Saleem 1985 Quantitative and Qualitative Feeding Effects
on Silkworm. Bombyx Mori Linn. J.Agric.
Res., 23(1): 43-46
- 3 Bukhtiar, B.A., 1986 Some preliminary studies on herbicide use in
G.A.Chaudhary and groundnut under rainfed conditions. Proc.
M.Saleem. National Groundnut Workshop, NARC,
Islamabad, Feb 17-19, 1986 PP. 153-162
- 4 Saleem.,M.,M.Ashraf, N. 1994 Low cost termite control in barani wheat.
Muhammad & G. Ahmad. Technology Reporter, PARC, Islamabad, Vol.
3(4).
- 5 Ashfaq,M.,Z.Qaisar and 1998 Effect of impregnated Mulberry leaves with
M.Saleem the optimum doses of N.Ca.P. and Cu on the
larval development and silk yield of silk
worm Bombyx mori L. Pak. Entomol.Vol
21(1-2): 17-20.
- 6 Aheer, G.M., A. Ali and 1999 Morpho-physical factors affecting resistance
M.Saleem in genotypes of cotton against some cotton
insect pests. Pak Entomol. Vol 21(1-2): 43-
46.
- 7 Saleem, M. and A. Rashid 2000 Helicoverpa armigera infestation of various
wheat varieties. Ann. Wheat News letter.
Kansas State Univ. USA, Vol. 46: 101-102.
- 8 Ashfaq,M.,R.Haq, 2000 Effect of antagonistic Microbial application on
M.Saleem and A.Ali. the population density of black thrips,
Caliothrips bangall and yield of mash bean,
vigna mungo. L. South pacific study vol
20(2): 1-5.
9. Sabir,A.M.,A.Suhail, 2000 Effect of some pollen substitute diets on the
W.Akram and M.Saleem development of Apis mellifera L. colonies.
Pak. J. Biol. Sc., 3(5): 890-891.
- 10 Saleem, M., A. Rashid, 2001 Effect of aphid infestation on various wheat
L.H. Akhtar & S.Z.Siddiqi. strains under Bahawalpur Agroclimatic
conditions. Ann. Wheat News letter, Kansas
Univ. USA, vol 47: 134-35
- 11 Sabir,A.M.,M.Saleem,A.H. 2002 Alpine swift, Apus melba L. (Apodidae
Bhatti & A.Qadir. Apodiformes) – A new bird predator of
honeybees in Pakistan, Abstr, PC.17, 22nd
Pak Congr., AJ&K Univ. Muzaffarabad, P:49
- 12 Sabir, A.M., M.Ahmed, 2002 Requeening _ Its acceptance and effect on
M.Saleem and A.H.Bhatti. the development of honeybees (Apis

- mellifera L) colonies. J.Agric. Res. 40(1): 61-66.
- 13 Sabir, A.M., M. Saleem, A.H. Bhatti & A., Sohail. 2004 Tropicals cleare in honeybee colonies (*Apis mellifera*) and its control. Abstr: PC-38, 24th Pak Congress of Zoolgy. Allama Iqbal Open Univ., Islamabad P-60
 - 14 Sabir, A.M., M. Saleem, A.H. Bhatti and M. Shafiq 2006 Beekeeping in the Punjab: A case study Abstr. Ento-26, 26th Pak Congress of Zoology, University of Punjab, Lahore P-74
 - 15 Sabir, A.M., M. Saleem., A. Sohail., M. Shafiq and A. Qadir.' 2007 A community based participatory approach in sustainable Agri. Ecosystem through beekeeping in the Punjab. Abstr. Int. Conf. Bio. Res. Pak., Uni. A.A. Rawalpindi. April 25-27, 2007. P-43
 - 16 Sabir, A.M., A. Sohail., M. Saleem and K. Mahmood. 2008 Bumblebees belonging to genus *bombus* (*Bombini*; *Apidae*: *Hymenoptera*) of Northern Pakistan. Abstr. Int. Cong. GC Uni. Faisalabad, March 18-20, 2008 P-74
 - 17 Saleem, M, M. Shafiq, M. I. Haq, and A. M. Sabir 2008 Evaluation of some miticides to control *varroa destructor* in colonies of honeybee, *Apis Mellifera*. Pak. Entomol. 30(2) Vide Ref. No. 2005/23/PE dated 14.10.2008 Pakistan Entomological Society, Entomology Deptt., UAF.
 - 18 Haq, M. I. and M. Saleem 2008 Effect of neem (*Azadirachta indica* A. juss) seed extracts against greater wax moth (*Galleria mellonella* L.) larvae. Pak. Entomol. 30(2) Vide Ref. No. 2005/23/PE dated 14.10.2008 Pakistan Entomological Society, Entomology Deptt., UAF.
 - 19 Hameed, A. G. M. Aheer and H. M. Saleem 2009 Effect of temperature and relative humidity on biology of cotton mealy bug (*Phenacoccus solinopsis*). Abstract: National Conference on Cotton Production November 13-14, 2009. Nuclear for Agriculture and Biology, Faisalabad P-7.
 - 20 Rana, Z. A., Naseer, S., Hameed, A, Haq, I., Shehzad, M. A. and M. Saleem 2010 Effect of chemical and biological control measures and their interaction against sugarcane borers (Accepted for publication in science International)
 - 21 Hussain, D., M. Akram, Z. Iqbal, Amjad Ali and M. 2010 Effect of some insecticides on *Trichogramma chilonis* Ishii (*Trichogrammatidae* :

- Saleem Hymenoptera) immature and adult survival. J. Agric, Res., 48(4), 531-537.
- 22 Saleem, M., D. Hussain, 2011 Monitoring of insecticides resistance in field strains of *Helicoverpa armigera* (Lepidoptera : Noctuidae) in Punjab, Pakistan. Abstract Int. Cong., Zoological Society, Department of Zoology, LCWU, Lahore, February 21-22.
- 23 Ali, H. Malik, N. Islam, S. 2011 Varietal variation interaction between population of aphids and their predators on wheat crop. Abstract Int. Cong., Zoological Society, Department of Zoology, LCWU, Lahore, February 21-22.

DR AMJAD ALI (ENTOMOLOGIST)

2013

136. Karar, H., J. Arif, A. Hameed, Amjad Ali, M. Hussain and S. Ahmad, 2013. Effect of cardinal directions and weather factors on population dynamics of mango mealy bug, *Drosicha mengiferae* (Green) (Margarodidae:Homoptera) on chaunsa cultivar of mango. Pak. J. Zool., 45(6):1541-1547.
135. Karar, H., G. Abbas, A. Hameed, M.S. Shahzad, G. Ahmad, Amjad Ali and M. Saleem, 2013. Relative susceptibility of onion (*Allium cepa*) genotypes of Pakistan to onion thrips (*Thrips tabaci*) (Thysanoptera:Thripidae). Pak. J. Agri. Sci., 50(3):351-357,
134. Babar, T.K., H. Karar, M. Hasnain, M.F.Shahzad, M. Saleem, Amjad Ali and S. Ahmad, 2013. Performance of some transgenic cotton cultivars against insect pest complex, virus incidence and yield. Pak. J. Sci., 50(3):1-6.
133. H. Karar, T. Khan Baber, M. Faisal Shahzad, M. Saleem, Amjad Ali and M. Akram, 2013. Performance of novel vs traditional insecticides for the control of *Amrasca biguttula biguttula* (Hemiptera, Cicadellidae) on cotton. Pak. J. Agri. Sci., 50(2):223-228.
132. Ahmad, R., J. Yousaf, I. Nadeem, M. Saleem and Amjad Ali, 2013. Response of sunflower (*Helianthus annuus* L.) hybrids to population of different insect pests and their bio-control agents. J. Agric Res., 51(2):31-39.

2012

- 131 Amjad Ali, N. Din, Noor-ul-Islam, Z. Iqbal, M. Latif and M. Saleem, 2012. Management of sugarcane borers by the application of *Trichogramma chilonis*

(Ishida) cards at different intervals. Jour. Agric. Res., 50(3):373-380.

130. Haider Karar,¹ M. Jalal Arif,² Amjad Ali,³ Asifa Hameed,⁴ * Ghulam Abbas⁵ and Qaisar Abbas³, 2012. Assessment of Yield Losses and Impact of Morphological Markers of Various Mango (*Mangifera indica*) Genotypes on Mango Mealybug (*Drosicha mangiferae* Green) (Homoptera: Margarodidae). Pakistan J. Zool., 44(6): 1643,1651.
129. Hussain, D., Amjad Ali, Ruba Tariq, M.M. Hassan and M. Saleem, 2012. Comparative toxicity of some new chemistry insecticides on *Chrysoperla carnea* (Stephen) under laboratory conditions. J. Agric. Res., 50(4):509-515.
- 128 Hussain, D., A. Ali., M.M. Hassan, Saira Ali, M. Saleem and S. Nadeem, 2012. Evaluation of toxicity of some new insecticides against egg parasitoid *Trichogramma chilonis* (Ishii) (Hymenoptera:Trichogrammitidae). Pakistan J. Zool., 44(4):1123-1127.
- 127 Amjad Ali, H. Malik, N. Islam, S. Rafique, M. Saleem and M. Hassan, 2012. Varietal variation and interaction between population of aphids and their predators in wheat. Jour. Agric. Res., 50(2):209-216
- 126 Amjad Ali, A. Hameed, M. Saleem, N. Khalil, M. Saeed and N.A. Malik, 2012. Effect of temperature and relative humidity on the biology of cotton mealy bug (*Phenacoccus solenopsis* Tinsley). Jour. Agric. Res., 50(1):89-101.
- 125 Ali, M., M. Ashfaq, W. Akram, S.T. Sahi and Amjad Ali, 2012. The physio-morphic characters of brinjal (*Solanum melongena* L.) plant and their relationship with the Jassid (*Amrasca biguttula biguttula* Ishida) population fluctuation. Pak Jour. Agri. Sci., 49(1):67-71.
- 124 Aziz, M.A., M. Hassan, Amjad Ali, A Suhail and S.T. Sahi, 2012. Role of Physico-Chemical Characters of Okra as a Host Plant for Preference of *Erias* spp. Pak. J. Zool., 44 (2):361-369. 2011
- 123 Ali, I., B. S. Khan, M. Sagheer and Amjad Ali, 2011. Determination of varietal resistance and losses by aphids in wheat cultivars. Pakistan Entomol., 33(2):157-160.
- 122 Aziz, M.A., M. Hussan, and Amjad Ali, 2011. Impact of Abiotic Factors on the Incidence of Fruit and Shoot Infestation of Spotted Bollworm *Erias* spp. on Okra (*Abelmoschus esculentus* L.). Pakistan J. Zool., 43(5):863-868.
- 121 Amjad Ali and G. Mustafa, 2011. Effect of Weather Factors on Capture of *Helicoverpa armigera* Adults in various Cotton-Based Agri-Ecosystems. J. Agric. Res., 49(1):37-48.
- 120 Masood, N., Ashfaq, M., Amjad Ali, M. Ahsan and N. Javed, 2011. Whitefly

- (*Aleurolobous barodensis* Mask) population fluctuation in diverse spatio-temporal conditions on sugarcane crop native to Pakistan. *Inten. Res. J. Pl. Sci.*, 2(6):179-182.
- 119 Iqbal, J., M. Hassan, M. Ashfaq, S.T. Sahi and Amjad Ali, 2011. Studies on correlation of *Amrasca biguttula biguttula* (Ishida) population with physio-morphic characters of okra, *Abelmoschus esculentus* (L.) Monech. *Pakistan J. Zool.*, 43(1):141-146.
- 2010
- 118 Shahid, M.R., J. Farooq, N. Islam, M. J. Arif, Amjad Ali, K. Zia and M.D. Gogi, 2010. Seasonal occurrence of sucking insect pest in cotton ecosystem. *J. Soil Sci., Environ. Management* 1(18):
- 117 Khan, M.A., D.A. Gogi, A. Khaliq, M.N. Subhani and Amjad Ali, 2010. Efficacy of Methyl Eugenol and Cue Lure traps for monitoring melon fruit fly in relation to environmental conditions in Bitter gourd crop. *J. Agric. Res.*, 48(4):525-530.
- 116 Hussain, D., M. Akram, Z. Iqbal, Amjad Ali and M. Saleem, 2010. Effect of Insecticides on *Trichogramma chilonis* (Trichogrammatidae:Hymenoptera) immature and adult survival. *J. Agric. Res.*, (48(4):531-537
- 2009
- 115 Amjad Ali, G. M. Aheer, M. Saleem, Z. Shah, M. Ashfaq and M.A. Khan, 2009. Effect of sowing dates on population development of *Helicoverpa armigera* (Hb.) in cotton genotypes. *Pak. Entomol.*, 31(2):128-132.
- 114 Aheer, G. Mustafa, M. A. Aziz, A. Hameed and Amjad Ali, 2009. Evaluation of resistance to different insecticides in field strains of *Helicoverpa armigera* (Lepidoptera:Noctuidae) in Punjab, Pakistan. *Entomol. Res.*, 39:159-167. (South Korea).
- 113 Aheer, G.M., Amjad Ali and M. Akram, 2009. Effect of weather factors on population of *Helicoverpa armigera* moths at cotton based agro ecological sites. *Entomol. Res.*, 39: 36-42 (South Korea)
- 112 Aheer, G.M., R. Ahmad and Amjad Ali, 2009. Efficacy of different insecticides against cotton mealybug, *Phenacoccus solani* Ferris. *J. Agric Res.*, 47(1):47-52
- 2008
- 111 Amjad Ali, G.M., Aheer, M. Ashfaq and M. Akram, 2008. Influence of weather on the moth catches of *Helicoverpa armigera* and various cotton based agro-ecological sites. *Pak. Entomol.*, 30(1): 65-72.
- 110 Nawaz, M., M. Ashfaq and A. Ali, 2008. Studies on improvement of artificial diet and its effect on biological characters of *Chrysoperla carnea* (Stepens). *Pak. Entomol.*, 30(1): 75-77.
- 109 Iqbal, J., M. Ashfaq and A. Ali, 2008. Screening of wheat varieties/advanced lines against aphids. *Pak. Entomol.*, 30(1):29-38.
- 108 Iqbal, J., M. Ashfaq and A. Ali, 2008. Management of aphids by augmentation of coccinellids and *Chrysoperla carnea* under field conditions on wheat. *Pak. J. Sci.*, 45(1):57-59.
- 107 Aheer, G. Mustafa, Amjad Ali and M. Ahmad, 2008. Abiotic factors effect on

- population fluctuation of alate aphids in wheat. *J. Agric. Res.*, 46(4):367-371
- 106 Iqbal, J., M. Hassan. M. Ashfaq S.T. Sahi and Amjad Ali, Screening of okra genotypes against jassid. *Pak. J. Agri. Sci.*, 45(4):448-451
- 2007
- 105 Aheer, G.M., Amjad Ali, Irem and Muazma Akhtar, 2007. Relationship of Aphids and Predators on different Genotypes of Wheat, *Triticum aestivum* under Agri Eco- system of Bahawalpur. *J. Agric. Res.*, 45(1):49-53.
- 104 Aheer, G.M., M. Munir and Amjad Ali, 2007. Impact of whether factors on Population of Wheat Aphids at Mandi Baha-ud-Din Distict. *J. Agric. Res.*, 45(1):61-66.
- 103 Amjad Ali, and G. M. Aheer, 2007. Varetial resistance against sucking insect pests of Cotton under Bahawalpur ecological conditions. *J. Agric. Res.*, 45(3):205-208.
- 102 Ashfaq, M., J. Iqbal, Amjad Ali and U. Farooq, 2007. Role of abiotic factors in population fluctuation of aphids on wheat. *Pak. Entomol.*, 29 (2):117-122.
- 2006
- 101 Aheer, G. M., M. Munir and A. Ali, 2006. Screening of wheat cultivars against aphids in ecological conditions of District Mandi Bahaudin. *J. Agric. Res.*, 44(1): 55-58.
- 100 Aheer, G.M., Amjad Ali and Sajjad Hussain, 2006. Varietal Resistance against jassid, *Amrasca devastans* (Dist.) in cotton and role of abiotic factors in population fluctuation. *J. Agric. Res.*, 44(4):299-305.
- 99 Ashfaq, M., T. I. Gill and Amjad Ali, 2006. Consumption and Utilization of various plants by parasitized and unparasitized larvae of cabbage butter fly (*Pieris brassicae* L.). *Pak. Entomol.*, 28(1):1-4.
- 2005
- 98 Aheer, A. M., A. Ghani, A. Ali, Z. Iqbal and M. Munir, 2005. A survey on the Intensity of *Epiricania melanoleuca* (Fletcher) on Sugarcane Trash in Punjab. *Pak Sugar Jour.*, 20 (6): 14-16.
- 97 Ashfaq, M. J. Iqbal and Amjad Ali, 2005. Integration of chemical control and host plant resistance against aphids on wheat. *Pak. Entomol.*, 22(2):3-5.
- 96 Hassan, M. M., M. Akhtar, Amjad Ali, and G.M. Aheer, 2005. Effect of temperature on the development of lesser grain borer, *Rhyzopertha dominica* Fb. In

stored wheat. J. Agric. Res., 43(4):355-360.

- 95 Aheer, G.M., Z. Shah, M. Munir and Amjad Ali, 2005. Screening of different potato varieties/advanced lines against the attack of potato aphids, *Myzus persicae* (Sulz.). Jour. Agric. Res., 43(3):269-271.

2004

- 94 Hassan, M., G.Nisar, Amjad Ali and G.M.Aheer, 2004. Impact of predators on aphids in normal sown wheat advanced lines/varieties. *J. Natural. Sci.*, 2(1):41-49.
- 93 Hassan, M.M., M.N. Raza, B. Shahzadi and A. Ali, 2004. The diet of barn owl (*Tyto alba*) from canal bank, canal rest house and graveyard of Gojra. *J. Res.*, 15(3):291-296.
- 92 Hassan, M., Irem, A. Ali and G. M. Aheer, 2004. Evaluation of aphid population under the influence of predators. *J. Natural Sci.*, 2(2): 98-104.
- 91 Iqbal, N., H. M. Nasarullah, A. Mahmood and Amjad Ali, 2004. Effect of different planting times on the seed cotton yield of newly developed strains under Agro Climate Conditions of Khanewal. *J. Anim. Pl. Sci.*, 14(1-2):16-17.
- 90 Mahmood, A., S. H. Emiroglu, Amjad Ali, and Umar Farooq, 2004. Genetic studies of Gossypol Characters in some Varieties of Turkey. *J. Anim. Pl.*, 14(1-2):18-19.
- 2003
- 89 Aheer, G.M., A.Ghani, Z.S. Bhatti and Amjad Ali, 2003. Borers infestation in different varieties of sugarcane in various districts of the Punjab, Pakistan. *Pak. Sugar J.*, 18(3) :7-8.
- 88 Ahmad, K.J., Amjad Ali, and M. Ashfaq, 2003. Chemical plant factors affecting consumption and coefficient of utilization of *Helicoverpa armigera* (Hb.) in different host plants. *J. Agric. Res.*, 41(1) :61-71.
- 87 Ashfaq, M., A.Khaliq, M.A. Khan and Amjad Ali, 2003. Chemical plant factors effecting resistance in sugarcane against *Scirpophaga nivella* F. *J. Sc. Tech.*, Univ. Peshawar, 27:67-71.
- 86 Ashfaq, M., K.J.Ahmad, and Amjad Ali, 2003. Morpho-physical factors effecting consumption and coefficient of utilization of *Helicoverpa armigera* (Hb.). *Pak. J. Appl. Sci.*, 3(4) : 225-230.
- 85 Khan, M. A., M. Ashfaq, A. A. Khaliq and A. Ali, 2003. Population of fruit fly species trapped by methyl euginol and cue lure virsus infestation in apple orchards of Murree Hills. *Pak. Entomol.*, 25(2): 191-194.
- 84 Khan, M. A., M. Ashfaq, A. A. Khaliq and A. Ali, 2003. Role of abiotic factors in population and infestation fluctuation of fruitflies in mango orchards of Multan Distric. *J. Agric. Res.*, 41(3-4): 241-248.

- 83 Khan, M. A., M. Ashfaq and A. Ali, 2003. Fruit flies population and their infestation in Ber orchards. J. Agri. Res. 2003 41 (3-4): 261-265.
- 82 Khaliq, A., M. Ashfaq, M. A. Khan and A. Ali, 2003. Varietal resistance in sugarcane against top borer, *Scirpophaga novella* F. Pak. Entomol., 25(1):41-44.
- 81 Khaliq, A., M. Ashfaq, Amjad Ali and M.Ahsan, 2003. Morpho-physical factors affecting resistance against top borer, *Scirpophaga nivella* F. in sugarcane. J. Agric. Res., 4(1):85-90.
- 80 Mahmood, A., F. H. Anjum and Amjad Ali, 2003. Rice planting geometry facilitating relay cropping at zero tillage. Intern. J. Agric. Biol., 5 (4) : 435-437.
2002
- 79 Aheer, G.M., I. Ali, N.Ahmad and Amjad Ali, 2002. Comparative efficacy of new insecticides/insect growth regulator against Diamond back moth *Plutella xylostella* L. in cauliflower. J. Agric. Res., 40 (3-4):237-241.
- 78 Aheer, G.M., M. Munir and Amjad Ali, 2002. Role of abiotic factors in fluctuating aphid population in wheat crop under the ecosystem of Mndi Baha- ud -din district. J. Agric. Res., 40(1) :47-53.
- 77 Ashfaq, M., Amjad Ali and N.Alam, 2002. Physico-morphic influence of some insecticide spray schedules on maize (CV.AKBAR). J. Agric. Res., 40(1) : 67- 73.
- 76 Ashfaq, M., K.J. Ahmad and Amjad Ali, 2002. Consumption and coefficient of utilization of various food plants offered to *Helicoverpa armigera* (Hubner). Pak. Entomol., 24(1) : 65-69.
- 75 Ashfaq, M., K.Zia and Amjad Ali, 2002. Comparative studies on alternative of mulberry leaves for silk worm (*Bombyx mori* L.) rearing. J. Agric. Res., 40(1) : 75-79.
- 74 Karar, H., I. Ali, N. Ahmad, G.M. Aheer and Amjad Ali, 2002. Comparative efficacy of new vs. old chemistry insecticides for the control of *Helicoverpa armigera* (Hb.) on cotton crop. Pak. Entomol., 24(2) :121-124.
- 73 Khan, M. A., M. Ashfaq, A. Khaliq and A. Amjad, 2002. Effect of pheromones on the population capture of fruit fly species and their infestation on mango orchards at Multan. Pak. Entomol., 24 (2): 153-157.
- 72 Kusar, S., Amjad Ali , S.Zia and M.A.B. Shami, 2002. Determination of cotton whitefly biotypes (*Aleyrodidae*: Homoptera) on the basis of honey dew production. J. Agric. Res., 40(2) : 149-153.

- 2001
- 71 Aheer, G .M., Amjad Ali, M. Saeed and M. Latif, 2001. Effect of weather factors on population fluctuation of aphids and its coccinallid predator on Sorghum at Bahawalpur. Pak. Entomol., 23(1-2) :27-31.
- 70 Ashfaq, M., A. Gharoor and Amjad Ali, 2001. Internal anatomy and histology of digestive tract of *Cihlo partallus* (Swinhoe) larvae. J. Agric. Res., 39(3-4) : 271-287.
- 69 Ashfaq, M., Amjad Ali, and M.Tahir, 2001. Effect of various inputs on the population of aphid (*Aphis gossypii* Glov.) and yield of potato (*Solanum tuberosum* L.).Pak. Entomol., 23 (1-2) : 15-17.
- 68 Ashfaq, M., M. Iqbal, and Amjad Ali, 2001. Effect of combining the optimum doses of mineral nutrients through root supplementation on the larval development and silk yield of *Bomybx mori* L. J. Agric. Res., 39(3-4) :307-312.
- 67 Ashfaq, M., M.Y. Munir and Amjad Ali, 2001. Effect of Pix, a plant growth regulator, on the development of major insect pests, growth and yield of cotton variety NIAB- 86. Balochistan J. Agric. Sci., 2(2):35-37.
- 2000
- 66 Ashfaq, M., A. Ahmad and Amjad Ali, 2000. Consumption and coefficient of utilization of different host plants by *Mythimna separata* (Walk.). bull. Inst. Trop. Agr. Kyushu Univ. 23:1-5.
- 65 Ashfaq, M., A. Ahmad and Amjad Ali, 2000. Physical factors affecting consumption and coefficient of utilization of various food plants by *Mythimine separata* (Walk). Pak. J. Boil. Sci., 3(3) :488-489.
- 64 Ashfaq, M., M. Saleem and Amjad Ali, 2000. Two new mites species (*Hypopi*) of the genus *Histiostoma* (Acari:Histiostomatidae) from Pakistan. Pak. J. Agri. Sci., 37(1-2) ;33-40.
- 63 Ashfaq, M., M. Sarwar and Amjad Ali, 2000. Two new mite species (*Hypopi*) of the genus *Histiostoma* (Acari:Histiostomatidae) from Pakistan. Pak. J. Agri. Sci., 37(1-2):33-41.
- 62 Ashfaq, M., M.A.Rehman and Amjad Ali, 2000. The impact of optimum dosages of mineral in various combinations on larval development and silk production of *Bombyx mori* L. Pak. J. Biol. Sci., 3(9) :1391-1392.
- 61 Ashfaq, M., R. Haq, M. Saleem and Amjad Ali, 2000. Effect of antagonistic microbial application on the population density of Black Thrips, *Caliothrips bagnall* and yield of Mashbean, *Vigna mungo* L. South Pacific Study, 2(2) :1-5.
- 1999

- 60 Aheer, G. M., Amjad Ali and M. Saleem, 1999. Morpho- physical factors effecting resistance in genotypes of cotton against some sucking insect pests. Pak. Entomol., 21(1- 2):43-46.
- 59 Aheer, G.M., A. Ghnai and Amjad Ali, 1999. Population of whitefly, *Bemisia tabaci* Genn.) and its natural enemies on cotton crop at Bahawalpur. Pak. Entomol., 21(1- 2):47-48.
- 58 Aheer, G. M., M.A. Zia, K.J. Ahmad and Amjad Ali, 1999. Role of abiotic factors on population dynamics of alate aphids of wheat in different ecological zones of the Punjab. J. Agric Res., 37(2-3):187-194.
- 57 Amjad Ali, G.M. Aheer and M. Saeed, 1999. Physico-morphic factors influencing resistance against sucking insect pests of cotton. Pak. Entomol., 21(1- 2):53- 55.
1998
- 56 Aheer, G.M., N. Ahmad, Amjad Ali, S.S. Khan and H. Karar, 1998. Performance of some new insecticides against aphid, *Aphis gossypii* Glover, in cotton. J. Agric. Res., 36(2):191-186.
- 55 Ashfaq, M., N. Ahmad and Amjad Ali, 1998. Effects of optimum dosages of nitrogrn, Potassium, Calcium and copper on silkworm, *Bombyx mori* L. development and silk yield. South Pacific Study, 18(2):47-50.
- 54 Khan, H.U., R. A. Chohan, J. Ahmad and Amjad Ali, 1998. Chemical control of root knot nematodes. *Meloidogyne* sp. On soybean, Pak. J. Phytopathol., 10(1):33- 35.
1997
- 53 Aheer, G. M., A. M. Hussain., Z. Iqbal., A. Ali and M. Ramzan, 1997. Role of detergents in increasing the efficacy of insecticides against whitefly (*Bemisia tabaci* Genn.), the vector of cotton leaf curl virus, J. Agric. Res., 57(4):253-257.
- 52 Ahmad N., G. M. Aheer., S. S. Khan., H. Karar and Amjad Ali, 1997. Comparative efficacy of different insecticides against Mango hopper (*Ideoscopus clypealis* Leth.). J. Agric. Res., 35(6):379-383.
- 51 Ali Amjad. And M. K. Mumtaz, 1997. Integration of chemical control and host plant resistance in cotton against insect pest complex. J. Agric. Res., 35(3):221-225.
- 50 Ali Amjad, M.K. Mumtaz and M. Saudullah, 1997. Antibiosis resistance in cotton against Jassid, *Amrasca devastans* (Dist.). J. Agric. Res., 35(1-2):141-145.

- 49 Khan, H. U., R.A.Chohan, Amjad Ali and Jamil Ahmad, 1997. Screening of soybean cultivars against Root-knot *Nematodes Meloidogyne incognita*. J. Agric. Res., 9(2):105-107.
- 48 Mumtaz, M.K., A. Parvez, A. Ahmad, A. Irshad and Amjad Ali, 1997. Abiotic factors affecting population fluctuation of whitefly, *Bemisia tabaci* (Genn.) and their impact on leaf curl virus incidence in different genotypes of cotton. J. APS, 7(3-4):119-121.
- 47 Saleem, M.S., M. Ashfaq, Amjad. Ali, M.Younis and Anwar Irshad, 1997. A probe into the correlation among Mite population and infestation of stored grains of Haripur District (N.W.F.P), Pakistan. JAPS, 71(3-4):115-117.
1996
- 46 Niaz,T., G M. Aheer, S. M. I. Jalali, M.Ashraf and Amjad Ali, 1996. Relative response of Brassica , *Brassicorhynchus brassica* (Linn.) J.Agric., Res., 34(1):58.
1995
- 45 Aheer, G.M., M. Ashraf, T.Niaz and Amjad Ali, 1995. Response of sorghum cultivars to mite pest attack. J. Agric. Res., 33(2-3):125-128.
- 44 Ali, Amjad, A. Khaliq and M. Ashraf. 1995. Physical factors affecting resistance in cotton against jassid, *Amrasca devastans* (Dist.) and thrips, *Thrips tabaci* (Lind.). J. Agric. Res., 33(2-3):173-178.
- 43 Ali Amjad, M. Ashraf and M. Saeed. 1995. Bio-Chemical factors affecting resistance in cotton against jassid, *Amrasca devastans* (Dist.) and thrips, *Thrips tabaci* (Lind.). J.Agric. Res., 33(2-3): 185-190.
- 42 Ali Amjad ,M. Ashraf and M. Ssaeed .1995. Physical factors affecting resistance in cotton with respect to leaf position against jassid, *Amrasca devastans* (Dist.) and thrips ,*Thrips tabaci* (Lind.) J. Agric. Res., 33(4):293-300
- 41 Ali, Amjad, Z. Ali, M.H. Khan and A. Khaliq, 1995. Roll of hair density and gossypol glands in resistance against pest complex of cotton. J. Ani. Pl. Sci., 5(1-2):51- 53.
- 40 Ali, Amjad, A. Khaliq and M. Ashraf. 1995. Chemical factors affecting resistance in cotton against jassid, *Amrasca devastans* (Dist.) and thrips, *Thrips tabaci* (Lind.). J. Agric. Res., 27(1):78-81.
- 39 Ali,Amjad, M.A.Bhatti and G. M. Aheer, 1995. Antibiosis resistance in cotton against *Thrips tabaci* (Lind). J. Agic. Res., 33(5-6):433-437.
- 38 Ali, Amjad, M.A. Bhatti and A.S. Khan, 1995. Chemical factors affecting resistance in cotton with respect to position of leaf against jassid, *Amrasca*

- devastans (Dist.) and thrips, *Thrips tabaci* (Lind.). J. Agric. Res., 33(2-3):179-184.
1994
- 37 Aheer, G.M., K.J. Ahmad and Amjad Ali, 1994. Role of weather in fluctuating aphid density on wheat crop. J. Agric. Res., 32(3):295-302.
- 36 Ahmad, M., M.Haq, Amjad Ali and M. Ashraf. 1994. Biological control of greater wax-moth, *Galleria mellonella* L. J. Agric Res., 32(3):319-324.
- 35 Ahmad, M., Amjad Ali, Z. Iqbal and M. Haq., 1994. Chemical control of greater wax moth, *Galleria mellonella* L. J. Agric. Res., 32(4):95-99.
- 34 Aslam, C.M., A. Khaliq, M. Ashfaq and Amjad Ali, 1994. Comparative studies on the biology and behaviour of hairy caterpillar *Diacrisia obliqua* (walk.) on two host plants (Sunflower and cotton) under semi-natural conditions. J. Agric. Res. ,32(5):535-540.
- 33 Mustafa, G., M. Ashraf and Amjad Ali, 1994. Response of some soyabean varieties/advanced lines to mite pest attack. J. Ani. PI. Sci., 4(3- 4):129-130.
- 32 Qamar, S., M. Ashfaq, Amjad Ali, N.M. Warraich and A.Ishtiaq. 1994. Effect of boron, zinc and iron on the consumption and utilization of different host plants by *Diacrisia oblique* (Wlk.) larvae. Pak. J. Agric.Sci.,31(2): 186- 190.
- 31 Shuja A., M. Akhtar, Amjad Ali and Sidra Afzal. 1994. Integration of chemical control and host plant resistance in cotton against insect pest complex. J. Ani. PI. Sci., 4(1-2): 53-54.
1993
- 30 Aheer, G.M., A. Rashid, M. Afzal and Amjad Ali, 1993. Varietal resistance/suscepibility of wheat to aphids, *Sitobion avenae* F. and *Rhopalosiphum rufiabdominalis* Sasake. J. Agric. Res., 31(3): 307-312.
- 29 Aheer, G. M., E. Haq, M. Ulfat, K.Jawad and Amjad Ali, 1993. Effect of sowing dates on aphids and grain yield in wheat. J. Agric. Res., 31(1): 75-79.
- 28 Aheer, G.M., I. Haq, K.J. Ahmad and Amjad Ali, 1993. Varietal resistance and sowing date effect on aphid density and wheat yield. J.Agric. Res., 31(3): 313-318.
- 27 Aheer, G.M., A. Rashid, and Amjad Ali,1993. Effect of aphids infestation on wheat grain yield in normal and late sown lines. J. Agric Res., 31(1):63-68.

- 26 Ahmad, R., T. Niaz, Amjad Ali and M. Ashraf, 1993. Evaluation of some organophosphate insecticides for the control of citrus thrips (*Scirpophaga citri* Moulton). *J. Agric. Res.*, 31(2):225-228.
- 25 Ali Amjad, R. Ahmad and M.A. Bhatti. 1993. Tolerance of different cotton varieties/strains against *Amrasca devastans* and *Thrips Tabaci*. *J. Ani. Pl. Sci.*, 1(4):227-229.
- 24 Ali Amjad, M.A. Bhatti and K.J.Ahmad. 1993. Role of weather in fluctuating the population of *Amrasca devastans* (Dist.) and *Thrips tabaci* (Lind.) *Zool. Conf. Islamabad, April 1st, 1993.pp???????*
- 23 Riaz, A., T. Niaz, Amjad Ali and M. Ashraf. 1993. Evaluation of some Organophosphate insecticides for the control of citrus thrips, *Scirtothrips citri* (Moulton). *J. Agric. Res.*, 31(2): 225-228.
1992
- 22 Ahmad, K.J., M. Riaz, Amjad Ali, M. Akhtar and A. Sardar, 1992. Study on eco-biology of rice hispa, *Dicladispa armigera* (Oliv.) *JAPS.*, 2(3-4):141-142.
- 21 Riaz, M., M. Akhtae, A. Sohail and Amjad Ali, 1992. varietal resistance in stored wheat against khapra beetle, *Trogoderma granarium* (Everts.). *Pak. Entomol.*, 4(1-2):59-61.
1991
- 20 Aheer, G.M., M. Ulfat and Amjad Ali, 1991. Grain protactants performance against insect pests of stored grain. *J. Agric. Res.*, 29(3):399-403.
- 19 Ashraf, M., A. Sohail, M. Akhtar and Amjad Ali, 1991. Varietal resistance of pulses to dhora. (*Callasobruchus chinensis* L.) *J. Agric. Res.*, 29(1):81-86.
- 18 Ali, Amjad, M. A. Bhatti and R. Ahmad, 1991. Tolerance of different cotton varieties/strains against *Amrasca devastans* and *Thrips tabaci*. *J. Ani. Pl. Sci.*, 1(4):227-229.
- 17 Najam, M. A., M. Yousaf and Amjad Ali, 1991. Population of dragon fly and their feeding habits on insect pests of rice. *J. Agric. Res.*, 29(4):507-511.
- 16 Qayyum, M.A., M.U. Farooq, Amjad Ali and K. Mahmood, 1991. Chemical protection of maize crop against stem borer and shootfly. *J. Agric. Res.*, 29(4):513-518.
1990
- 15 Mirza, L.D., S.J.M.Ajhtar, Amjad Ali and M. Sarfraz, 1990. Effect of fertilizer application on seed yield and oil contents of two raya cultivars. *J. Agric.*

- Res., 28(4):385-389.
- 1989
- 14 Ali Amjad, G. Rasul, M. Ulfat and R. Ahmad, 1989. Effect of fumigants on insect pests of stored grains. *J. Agric. Res.*, 27(1): 78-81.
 - 13 Rasul, G., Amjad Ali and M. Ulfat, 1989. Varietal resistance in pulses to mung dhora (*Callosobruchus analis* F.) *J. Agric. Res.*, 27(1): 61-64.
 - 1988
 - 12 Mirza, L.D., Amjad Ali and B. Saeed, 1988. Effect of fertilizer on growth, yield and oil content of two Sarson (*Brassica campestris*) cultivars. *J. Agric. Res.*, 26(3): 203-207.
 - 1987
 - 11 Riaz, M., M.A. Chuadhry, Amjad Ali and L. Khan, 1987. Physico-chemical aspects of resistance in cotton to insect pests complex. *Sarhad J. Agric.*, 3(4):491-497.
 - 1986
 - 10 Ashfaq, M., M. Ahmad, Amjad Ali and M. Aslam, 1986. The impact of different variables on the population fluctuation of maize borer, *Chilo partellus* (Swinn.) and maize yield. *Pak. Entomol.*, 8(1-2):85-90.
 - 1985
 - 9 Raja, K.A., Amjad Ali, M. K. Mumtaz and L. Khan, 1985. Evaluation of side dressing application of granular insecticides against green peach aphid, *Myzus persicae* on tobacco. *Gomal Univ. J. Res.*, 5(1-2): 23-26.
 - 1984
 - 8 Hameed A., H.A. Qayyum and Amjad Ali, 1984. Biochemical factors affecting susceptibility of four wheat varieties to *Trogoderma granarium* (Everts.). *Pak. Entomol.*, 6(1-2): 57-64.
 - 7 Qayyum, H. A., Amjad Ali and M.A. Zafar, 1984. Laboratory studies on the comparative resistance/susceptibility of some promising varieties of rice to the attack of *Sitophilus oryzae* (Linn). and *Tribolium castaneum* (HBST.). *Pak. Entomol.*, 6(1-2) : 45-50.
 - 6 Shabbir, M., Amjad Ali and H.A. Qayyum, 1984. Development of *Corcyra cephalonica* (Stainton) at different combination of temperature and relative humidities. *Pak. Entomol.*, 6(1-2): 1-8.
 - 1983
 - 5 Ansari, M. A., M. Ahmed, Amjad Ali and R.M. Yousaf, 1983. Determination of residues of Endrin, DDT, Malathion and Sevin on lady finger foliage by bio-assay method. *Pak. Entomol.*, 5(1-2):1-4 .
 - 4 Tabassum, I. Amjad Ali and H.A Qayyum, 1983. Physical and biochemical factors affecting the relative susceptibility of some wheat varieties to the attack of *Latheticus arylae* water house. *Pak Entomol.*, 5(1-2): 9-16.

- 1982
- 3 Ali, Amjad and M. Ahmad, 1982. Biophysical resistances in different varieties of cotton against insect pests. Pak. Entomol., 4(1-2) :27-32.
 - 2 Ishaque, M., Amjad Ali and H.A. Qayyum, 1982. Effect of some fumigants and contact insecticides on insect pests of stored wheat. Pak. Entomol., 4(1- 2):1-6.
 - 1 Ahmad M., G. Sarwar and Amjad Ali, 1982. Residual analysis of some insecticides on cotton foliage by bioassay method. Pak. Entomol., 4(1-2)67-70.

Tariq Niaz (Entomologist)

- ❖ Ahmed, R., M.J. Yousaf, I. Nadeem, M. Saleem and A. Ali, 2013. Response of Sunflower (*Helianthus annuus* L, Compositae.) hybrids to population of different insect pests and their bio-control agents. Journal of Agric. Res. 51(1):31-39.
- ❖ Ahmed, R., J. Yousaf, I. Nadeem, M. Saleem and T. Niaz, 2013. Varietal resistance of some recent releases of cotton cultivars against insect pests complex and CLCV incidence on cotton crop at Faisalabad. Submitted in Journal of Agric. Res. for publication. JAR. No. 4055.
- ❖ Ahmed, R., I. Nadeem, J. Yousaf, A. Raza, M. Saleem and T. Niaz, 2013. Impact of Dusky Cotton Bug (*Oxycarenus* Spp) on Seed Germination, Lint Color and Seed Weight in Cotton Crop. Accepted for publication in Journal of Agri. Res. JAR. No. 4285.
- ❖ Saleem, H.M., N. Din, T. Niaz, I. Haq, I, Nadeem, R. Ahmed, H. Malik, N. Saeed and M. J. Yousaf 2013. Thrips *tabaci* (Thysanoptera: Thripidae)- a menace for onion crop in Punjab (Pakistan). 3rd Pakistan Congress of Zoology (International) dated April 2-4.
- ❖ Tariq Niaz. 2007. Population pattern of aphid *myzus perseca* on potato crop at Faisalabad. J.Agric. Res. (45)4.
- ❖ Munir Ahmad Shazad, Syed Aftab Hussin Bukhari, Khawar jawad Ahmad, Tariq Niaz and Hassan Tariq. 2009. Yield response of Brassica varieties/strains in relation to mustard aphid *Lipaphis Erysimi* (Kalt) Sci. int. 21 (3), 191-192.
- ❖ Hassan Tariq, Shahid Nadeem, Hira Tariq, Aurangzeb and Tariq Niaz. 2010. Orgene: a database of primers of human genome. Sci. int. 22(3)189-192.
- ❖ Hassan Tariq, Shahid Nadeem, Sobia Idress, Aisha Yousaf, Muhammad Sohail Raza, Tariq Niaz and Muhammad Ibrahim Rajoka. 2010. Bioanalyzer: An Efficient

Tool for Sequence Retrieval, Analysis and manipulation. *Int. J. Bioinformatic.* 14(4), 247-254.

- ❖ Hassan Tariq, Shahid Nadeem, Muhammad Sohail Raza, Sobia Idress, Aisha Yousaf, Muhammad Ibrahim Rajoka, Bilal Hussain, Muhammad Nawaz and Tariq Niaz. 2010. A Data base of *Solanum Lycopersicum* and *Solanum Tubersum* primers. *Int. J. Bioinformatic* 14 (4)255-262.
- ❖ Hassan Tariq, Tariq Niaz. (2011). "OrGene: An organ based categorized Human Genome Database." *Journal of Biochemical Technology* (In Press) (Impact factor-0.9642).
- ❖ Bilal Hussain, Hassan Tariq, Tayyaba Sultana, Shahid Mahboob, Tariq Niaz (2011). "In-silico Molecular Analysis of Mutated Sequences of HFE1, HFE2, TFR2 and SLC40A1 causing Hemochromatosis Disease". *International Journal of Bioautomation.* 15(1):57-64.
- ❖ Riaz Ahmad, Jawad Yousaf, Muhammad Saleem and Tariq Niaz 2012. Efficacy of Mineral oil in combination with lower doses of insecticides against cotton Mealy bug, *J. Agric. Res.* 50 (1) 103-108.
- ❖ Hassan Tariq, Tariq Niaz and Shahid Nadeem. 2012. *Bioanalyzer: A software package for Sequence analysis and manipulation.* Book Published By Lap Lambert, Academic Publishing Gmph & Co. KG, Germany.
- ❖ Aheer, G.M., M. Ulfat and Riaz Ahmad, 1993. Fumigant tests against insect pests of stored grain. *J. Agric. Res.*, 31(3):323-327.
- ❖ Aheer, G.M., and Riaz Ahmad, 1993. Response of wheat to *trogoderma granarium* (Everts) and *Rhizopertha dominica* (Fb.). *J. Agric. Res.*, 31 (2): 225-228.
- ❖ Riaz Ahmad, T. Niaz, A. Ali and M. Ashraf, 1993. Evaluation of some organophosphate insecticides for the control of citrus thrips. *Agric. Res.*, 31 (2): 225-228.
- ❖ Ali A., G. Rasul, M. Ulfat and Riaz Ahmad, 1989. Effect of fumigant against insect pests of stored grains. *J. Agric. Res.*, 27(1): 78-81.
- ❖ Niaz T., Riaz Ahmad, G.M. Aheer and I. Haq, 1993. Effect of selected insecticides on citrus leaf miner. *J. Agric. Res.*, 31(2):229-232.
- ❖ Niaz T., Riaz Ahmad, G.M. Aheer and I. Haq, 1993. Performance of some selected insecticides against mango hopper. *J. Agric. Res.*, 31(4):439-441.
- ❖ Aheer, G.M. Riaz Ahmad & Et al, 2000. Development of *H. armigera* on different host plants. *J. Agric. Res.*, 38(3):229-232.
- ❖ Dr. Ghulam Mustafa, Riaz Ahmad and Dr. Amjad Ali, 2009. Efficacy of different insecticides against cotton mealy bug. *J. Agric. Res.*, 47(1):47-52.

- ❖ Riaz Ahmad, Jawwad Yousaf, Amjad Ali and Muhammad Saleem, 2010. Test of different insecticides against cotton mealy bug (*Phenacoccus solenopsis* Tinsely) accepted in Science International Lahore. December Vol-2010-053.

Muhammad Latif (Assistant Entomologist)

- Aheer, G.M., A.M. Hussain, Z. Iqbal and Mahmood Ahmad, 1994. Effects of defoliants on insect pest population, boll opening and yield of cotton. Pak. J. Agric. Sci., 31(2): 141-144.
- Ahmad, M., Amjad Ali, Z. Iqbal and M. Haq, 1994. Chemical control of greater wax moth, *Galleria mellonella* L. J. Agric. Res. 32(4):95-99.
- Aheer, G.M., M. Hussain, Z. Iqbal, A. Ali and M. Ramzan, 1997. Role of detergents in increasing the efficacy of insecticides against whitefly (*Bemisia tabaci* Genn.) the vector of cotton leaf curl virus. J. Agric. Res. 5(4): 253-257.
- G. M. Aheer, A. Ghani, Z. Iqbal and M. Latif, 2000. Efficacy of different methamidophos insecticides at varying doses against whitefly *Bemisia tabaci* (Genn.) in cotton. J. Agric. Res. 38(3):225-228.
- Aheer, G. M., A. Ali, Z. Iqbal and M. Munir, 2005. A survey on the intensity of *Epiricaniamelanoleuca* (Fletcher) on sugarcane trash in Punjab. Pak Sugar Jour., 20 (6): 14-16.
- Hussain D. M. Akram, Z. Iqbal, A. Ali and M. Saleem, 2010. Effect of some insecticides on *Trichogramma chilonis* Ishii (*Trichogrammatidae* : Hymenoptera) immature and adult survival. JAR 48(4) P-537-537.
- Amjad Ali, Naima Din, Noor-ul-Islam, Zafar Iqbal, M. Latif and Muhammad Saleem. 2012 management of sugarcane borers by the application of *Trichogramma chilonis* (Ishida) cards at different intervals J. Agric. Res. 50(3): 373-380.

Abdul Ghaffar (Aro)

Yousaf S., Ata-ul-Mohsin, M. Aslam, M. Ahmad and A. Ghaffar, 2012. Impact of *Sitotroga cerealella* on the viability of oat seed. Pak. Entomol., 34(1): 75-78.

Abbas M., M. Saleem, H.M. Saleem, F. Hafeez, D. Hussain, M. Farooq, A. Ghaffar, N. Saeed and M. Ashraf, 2013. Population dynamics of citrus leaf miner, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad. Wudpecker J. of Agri. Res., 2(6): 183-188.

Naima Din

- Ali, A., N.Din, N.Islam, Z.Iqbal, M. Latif, and M.Saleem 2012. Management of Sugarcane Borers by the Application of Trichogramma chilonis (Ishida) cards at different intervals. J. Agric. Res. 50(3).
- Ahmed, S. and N.Din 2009. Leaf Powder Basil (*Ocimum Basilicum* L.), Lantana (*Lantana camara* L.) and Gardenia (*Gardenia jasminoides* Ellis) effect Biology of *Callosobruchus chinensis* L (Coleoptera; Bruchidae). J. Pak. Entomol. 31(1):5-9.

Humaira Malik

A., Sohail, H. Malik, M.A. Riaz and M. Akhter 2013. Influence of Plant extracts on the Life History and Population Development of House Fly, *Musca Domestica* L. (Diptera: Muscidae). Pak. J. Zool. Vol. 45(2), pp. 345-349.

Ali. A, H. Malik, N. Ialam, S. Rafique, M. Saleem and M. Hassan. Varietal Variation and Interaction between Population of Aphids and their Predators in Wheat. J. Agric. Res. Vol. 50(2). pp, 209-216.

Amjad Khan (Aro)

- Khan, A., H. Javed, A. Mosin and M. Naeem. 2010. Host plant resistance of mash bean *Vigna mungo* against *Callosobruchus analis* under laboratory conditions. I.J.Agro.Vet. Medical Sciences. (Accepted for online edition.).

Asif Razzaq

- Cheema, N.M., S.Ahmed, M.Amjad Rana, S.Iqbal, I.A.Khan and A.Razzaq, 1995. Quality traits of sunflowers seed at different ages after anthesis initiates. Acta Sci, 5(1); 111-118.
- Aheer., G.M., N.A., Malik, J.Ahmed and A.Razzaq 1989. Screening of brassica varieties/advanced lines against aphid attack. Agri. Res. 37(2-3): 195-200
- Azhar-ul-Haq, M.Khawar Jawad Ahmad and Asif Razzaq, 2010. Characterization of some properties in different floral honeys collected by *Apis mellifera*. Pakistan Entomologist; 32(2):77-81
- Khan, K.A., K.J. Ahmed, A. Razzaq, K.H.Abbasi, M.Saleem and M. Arshad ullah 2012. Pollination effect on honeybees *Apis mellifera* L. (Hymenoptera; Apidae) on apple fruit development and its weight. Persian Gulf Crop Protection 2012 Vol 1(2), P 1-5.
- Khawar Jawad Ahmad, M. Shafiq, Khalida Hamid Abbasi, Asif Razzaq, M.Saleem and M.Arshad Ullah. Production of quality queen by artificially rearing techniques (Larval grafting). Persian Gulf Crop Protection 2013, Vol. 2(2) P-26-29.
- Khawar Jawad Ahmed, M.Shafiq, Asif Razzaq, Khalida Hamid Abbasi, M.Saleem. Studies on thymol as control against mite *Varroa destructor* on honeybee, *Apis mellifera* (accepted 2013 Pak. Journal Agri. Res.
- Comparative study of conventional and modified type of beehives. Persian Gulf Crops Protection Vol, Issue 3, 2012.

Dilbar Hussain

Hussain, D., M. Akram, Z. Iqbal, Amjad Ali and M. Saleem, 2010. Effect of Insecticides on *Trichogramma chilonis* (Trichogrammatidae:Hymenoptera)

2. Hussain, D., Amjad Ali, Ruba Tariq, M.M. Hassan and M. Saleem, (2012).Comparative toxicity of some new chemistry insecticides on *chrysoperla carnea*(Stephen) under laboratory conditions. J. Agric. Res.,50(4). pp. 509-515.
3. Muneer Abbas, Muhammad Saleem, Hafiz Muhammad Saleem, Faisal Hafeez, Dilbar Hussain, Abdul Ghaffar, M. Farooq, Nadia Saeed and MisbaAshraf (2013). Population dynamics of citrus leafminer, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad . Wudpecker Journal of Agricultural Research Vol. 2(6), pp. 183 – 188.

immature and adult survival. J. Agric. Res., (48(4):531-537.

Dilbar Hussain, Amjad Ali, Muhammad Mushtaq-ul-Hassan, Saira Ali, Muhammad Saleem and Sajid Nadeem,2012. Evaluation of Toxicity of Some New Insecticides against Egg Parasitoid *Trichogramma chilonis* (Ishii) (Hymenoptera: Trichogrammitidae). Pakistan J. Zool., vol. 44(4), pp. 1123-1127.

Hussain, D., Amjad Ali, Ruba Tariq, M.M. Hassan and M. Saleem, (2012).Comparative toxicity of some new chemistry insecticides on *chrysoperla carnea*(Stephen) under laboratory conditions. J. Agric. Res.,50(4). pp. 509-515

Muneer Abbas, Muhammad Saleem, Hafiz Muhammad Saleem, Faisal Hafeez, Dilbar Hussain, Abdul Ghaffar, M. Farooq, Nadia Saeed and MisbaAshraf (2013). Population dynamics of citrus leafminer, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad . Wudpecker Journal of Agricultural Research Vol. 2(6), pp. 183 – 188

Muhammad saleem, Dilbar Hussain, Rahat Hussain Rashid, Hafiz.M. Saleem, Ghulam Ghouse, and Muneer Abbas (2013). Insecticidal activities of two citrus oils against *Tribolium castaneum* (Herbst). American Journal of Research Communication, 1(6): 67-74

Dr Khawar Jawad

Sr. No.	Author	Year	Title
1.	Ahmad Khawar Jawad, M. Riaz, Amjad Ali, M. Akhtar and A. Sardar	1992	Study on ecobiology of rice hispa <i>Dicladispa armigera</i> (Oliv.) J. Agri. Plant Sci. 2(3-4): 141-142.
2.	Aheer G.M., Ehsan-ul-Haq, M.	1993	Effect of sowing dates on aphids and

	Ulfat, Khawar Jawad and Amjad Ali-J		grain yield in wheat. Agri. Res. 31(I):75-79
3.	Ali A., Munir Ahmad Bhatti and Khawar Jawad Ahmad	1993	Role of weather in fluctuation population of <i>Amrasca devastans</i> (Dist.) and <i>Thrips tabaci</i> (Lind.). Proc. Pak. Congr. Zool., Vol. 13, PP.133-139.
4.	Aheer G.M., M. Anwar Zia and Khawar Ahmad	1997	Response of wheat lines to aphid attack and effect on grain yield J. Agri. Res. 35(5):369-372.-
5.	Aheer G.M., M. Anwar and Khawar Jawad Ahmad	1999	Role of abiotic factors on population dynamics of alate aphid of wheat in different ecological zones of the Punjab J. Agri. Res. 3(2-3):187-194
6.	Zia M.A., Aheer G.M., M. Kha Mumtaz and Khawar Jawad Ahmad,	1999	Field screening of 16 advanced line of wheat for resistance to aphid (<i>Homoptera : aphididae</i>). Pak. Ento. 21(1-2):95-97.
7.	Aheer,G.N.A.Malik,I.Ahmad and A.Razzaq	1999	Screening of Brassica varieties/advance lines against aphid attack. J.Agri.Res., 37(2-3); 195-200.
8.	Ashfaq M., Khawar Jawad Ahmad and Amjad Au.	2002	Consumption and coefficient of utilization on various food plants offered to (<i>Helicoverpa arinigera</i> (Hubner) Pak. Entomologist 24(1):65-69.-2002
9.	Ashfaq M.. Khawar Jawad Ahmad and Arnjad Au	2002	Morpho physical factors effecting Consumption and coefficient of utilization of (<i>Helicoverpa armigera</i> (Hubner) P.J.A.S.3(4):225-230.
10.	Khawar Jawad Ahmad, Amjad Au and M. Ashfaq	2003	Chemical plant factors affecting consumption and coefficient of utilization of <i>Helicoverpa armigera</i> in different host plants J. Agri. Res. 41(1): 61-71
11.	Sabir,A.M., A.Suhail, M.Saleem, A.H.Bhatti & M. Shafiq,	2006	Beekeeping in the Punjab; A case study Abstr. Ento.-26, 26 th Pak Congress of Zoolgy, University of Punjab, Lahore P-74
12.	Ahmad Khawar Jawad, Nazir Ahmad Malik. Ahmad Saleern	2006	Varietal resistance in wheat varieties/lines and sowing dates effects

	Akhtar and Muhammad Hamza		on aphid population. JAR.44(3):215-218
13.	Munir Ahmad Shahzad, Syed Abid Hussain Bukhari, Khawar Jawad Ahmad, Tariq Niaz and Hasan Tariq	2010	Yield response of Brassica varieties/strains in relation to mustard aphid <i>Lipaphis erysimi</i> (Kalt. Sci.Int(Lahore),22(3) 233-234
14.	Muhammad Izhar-ul-Haq, Khawar Jawad Ahmad, Sohail Ahmad and Asif Razzaq	2010	Characterization of some properties in different floral honeys collected by <i>Apis mellifera</i> Pak. Entomol.2011 32(2):72-81
15.	Khan K.A, K.J.Ahmad, A. Razzaq, K.H. Abbasi, M.Saleem and M. Arshad Ullah	2011	Pollination effect of Honey bees, <i>Apis mellifera</i> L (Hymenoptera:Aphidae) on Apple fruit development and its weight, Persian Gulf Crop Protection 2012 Vol-1(2), P-1-5
16.	Khawar Jawad Ahmed, Khalida Hamid Abbasi, Muhammad Shafiq, Asif Razzaq, Muhammad Saleem and M.Arshad Ullah	2012	Comparative study of conventional and modified type of beehives. Persian Gulf Crop Protection 2012 Vol-1(3) P.7-11.
17.	Khawar Jawad Ahmed, M. Shafiq Khalida Hamid Abbasi, , Asif Razzaq, M.Saleem and M.Arshad Ullah	2013	Production of Quality Queen by Artificial Rearing Technique(Larval Grafting). Persian Gulf Crop Protection 2013 Vol-2(2) P.26-29

Muhammad Farooq (Aro)

- ❖ Khan, B. S., H. Bashir, M. Farooq and N. A. Khan, 2010. A new predatory mite of Stigmaeidae Family from Punjab, Pakistan. Pak Entomol.,. pp: 28-32.
- ❖ Abbas M., M. Saleem, H.M. Saleem, Faisal Hafeez, Dilbar Hussain, M. Farooq, A. Ghaffar, N. Saeed and M. Ashraf, 2013. Population dynamics of citrus leaf miner, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad. Wudpecker J. of Agri. Res., 2(6): 183-188.
- ❖ Shahid, M.R., A. Mahmood, J. Farooq, M. Farooq and M. S. Iqbal, 2013. Population dynamics of predatory fauna in cotton and its indirect impact on seed cotton yield. Int. J. Agric. Appl. Sci., 5(1):74-7
- ❖ Akram, M., F. Hafeez, M. Farooq, M. Arshad, M. Hussain, S. Ahmed, K. Zia and H. A. A. Khan, 2013. A case to study population dynamics of *Bemisia tabaci* and *Thrips tabaci* on bt and non-bt cotton genotypes. Pak. J. Agri. Sci., 50(4), 617-623.
- ❖ Urdu Article "Khumbi ki nuqsaan deh juwain aor un ka insdad" by Khan, B.S., M. Farooq and N.A. Khan, Kisan Time July, 2010.
- ❖ Urdu Article "Pakistan main Pani ki Kami ki Wajuhat" by Khan, B.S., M. Farooq and W. Akram, Zarai Digest April, 2011.

Khalida Hamid Abbasi

1. Evaluation of *Setaria Anceps* as affected by summer legumes in the pothowar Plateau of Pakistan. M.Arshad Ullah ,Maqsood Ahmed,A.Razaq,S,A,R,Zaidi,S,Bano,K.H.Abbasi. *Int. Biol. Biotech*,4(2-3):197-199,2007.
2. Evaluation of Interspecific Interaction Between *Encarsia lutea* and *Eretomocerus nr mundus* ,the parasitoids of cotton whitefly(*Bemisia tabaci*) with host Discrimination .M.Arshad Ullah ,Khalida Hamid Abbasi,Saadia Bano and Saeeda Khanum. *Sarhad J.Agric.Vol.23,No.4*,2007.
3. Evaluation of Interspecific Interaction Between *Encarsia lutea* and *Eretomocerus nr mundus* ,the parasitoids of cotton whitefly (*Bemisia tabaci*) with host plant density levels and preferences . M.Arshad Ullah ,Khalida Hamid Abbasi,Saadia Bano and Saeeda Khanum. *Journal of Applied Sciences* 7 (14):1958-1962,2007.
4. Performance of Pennisetum Grass species in spring and monsoon season under rainfed condition. Muhammad Arshadullah, Q.A.Rehman,S.Bano, K.H.Abbasi and D.H.Bukhari. *Science . Technology and Development.Vol.29.No.1*(jan-march 2010.)
5. Screening of Forage Grasses on Biomass Production and Nutrition under Rainfed Conditions at Pothowar Plateau. M. Arshadullah, M. anwar, S. I. Hyder,S. Bano and K.H. Abbasi. Section B: Biological & Agricultural Research. *Science, Technology & Development Vol. 30, No. 3 (July-September) 2011.*
6. Effect of salt stress on the growth and yield of *Digitaria decumbens*) in _ Vitro M.Arshad Ullah ,M.Rasheed,S.Bano,and K.H.Abbasi. *Pak:J.L.Sc Vol .(111) No.26* ,2011.
7. Effect of aqueous extracta of sun-dried neem (*Azadirachta indica* A) leaves on wheat yield under field condition. Saadia Bano , Muhammad Arshad Ullah , Abdul Khaliq, Khalida Hamid Abbasi and Saeeda .*Journal of Agricultural Extension and Rural Development Vol. 4(12), pp. 352 - 355, 11 July, 2012*
8. Comparative Study of Conventional and Modified Type of Bee Hive. Khawar Jawad Ahmad, KhalidaHamid Abbasi , Muhammad Shafiq, Asif Razaq ,M. Saleem and M.Arshad Ullah. *Persian Gulf Crop Protection Volume 1 Issue 3, September 2012 , Pages 7-11.*
9. Determination of Sex Ratio of Parasitoids and survival of adult Parasitoids on different foods by Interspecific Interaction of *Encarsia lutea* and *Eretomocerus nr mundus*. K.H.Abbasi,M.Arshad Ullah,S.Bano and S.Khanum. *Persian Gulf Crop Production ,Vol 1,Issue 1, March 2012.page 23-27.*
10. Evaluation of Interspecific Interaction Between *Encarsia lutea* and *Eretomocerus nr mundus* ,the parasitoids of cotton whitefly(*Bemisia tabaci*) with Stage preference and Host Discrimination. Khalida Hamid Abbasi, M.Ashraf Poswal ,M.Aslam ,M.Arshad Ullah , Saadia Bano and Saeeda Khanum. *Pak.J. Entomol.Karachi* 27(1): 1-5,2012.
11. Pollination effects of Honeybee (*Apis mellifera*)L.(Hymenoptera;Aphidae) on apple fruit development and its weight. .K.A.Khan,K.J.Ahmed ,A.Razaq,M.Shafiq,K.H.Abbasi,M.Arshad Ullah. *Persian Gulf Protection Vol.1,Issue z,June 2012 ,pages 1-5.*

12 Evaluation of Interspecific Interaction Between *Encarsia lutea* and *Eretmocerus near mundus*, the Parasitoids of Cotton Whitefly (*Bemisia tabaci*) by Host Plants and Host Insects . Khalida Hamid Abbasi, Muhammad Ashraf Poswal, Muhammad Aslam, Muhammad Arshad Ullah, Saadia Bano and Saeeda Khanum. Persian Gulf Crop Protection Volume 1 Issue 3, September 2012 Pages 12-18

13. Production of Quality Queens by Artificial Rearing Technique (Larval Grafting). Khawer Jawad Ahmad, Muhammad Shafiq, Khalida Hamid Abbasi, Asif Razzaq, Muhammad Saleem and Muhammad Arshad Ullah. Persian Gulf Crop ISSN: 2251-9343 (online) Volume 2 Issue 2, June, 2013. Pages 26-29.

14. Studies on thymol as control agent of mites (*varroa destructor*) on honeybees (*Apis mellifera*). Khawer Jawad Ahmad, Asif Razzaq, Khalida Hamid Abbasi, Muhammad Shafiq, Muhammad Saleem and Muhammad Arshad Ullah ...Pakistan Jr. Of Agric Research 2013....Accepted

15. Investigation on Snails (*Helix spp*) in Hill Fruit Nursery Plant. Khawer Jawad Ahmad, Khalida Hamid Abbasi, Muhammad Shafiq, Asif Razzaq, Muhammad Saleem and Muhammad Arshad Ullah ... Persian Gulf Crop Protection, 2014....accepted

MUHAMMAD SHAFIQ

Sr. No.	Author	Year	Title
18.	Makhdoomi, S.M.A., M. Mehmood Khan and I. Haq	1976	Attack of green bee eater (Bird) on the European bees in the vicinity of Islamabad. Ibid. P.5.
19.	Makhdoomi, S.M.A., M. Mehmood Khan and I. Haq	1976	Observations on the population counts in natural conditions of <i>Apis indica</i> bee colonies in the mountainous localities. Ibid. PP, 2-3
20.	Makhdoomi, S.M.A., and M. S. Chohan.	1976	Experiments on the breeding of honeybee, (Zoology Section). Proc. 17 th Sci. Conf. 1976, Sci. Soc. Pak. Peshawar PP. 62-64.
21.	Makhdoomi, S.M.A., M. Mehmood Khan and I. Haq.	1977	Preliminary studies on the activities of European bee, <i>Apis mellifera</i> L. in the northern region of the Punjab. J. Agri. Res., 15(4): 329-337.
22.	Makhdoomi, S.M.A., and M.M. Khan	1977	The characteristics of different races of <i>Apis mellifera</i> L. Proce. 18 th Sci. Conf. 1977. Sci. Soc. Pak. (Multan) PP. 62-63.
23.	Makhdoomi, S.M.A., and I. Haq	1977	Preliminary observations regarding the orientation hives of <i>Apis dorsata</i> F. Proc. 18 th Sci. Conf. 1977. Sci. Soc. Pak.

			Multan P.65	
24.	Makhdoomi,S.M.A.,and Chohan	M.S.	1980	Migration schedule for successful bee farming. J.Agric.Res.18(1): 37-39.
25.	Makhdoomi,S.M.A.,and Chohan	M.S.	1983	Nectar and pollen sources of honeybees in the Punjab. Abst. Proceedings of the 29 th Conference, Karachi. (Dec.26-30, 1983)
26.	Haq, I. and Manzoor-ul-Haq.		1984	Effect of Insecticidal sprays on Apis cerana F. Bee under field conditions. J.Agric.Res.22(3): 257-260.
27.	Makhdoomi,S.M.A.,and Chohan	M.S.	1984	Some major sources of Nectar and pollen for Honeybees in the Punjab. J.Agric.Res.22(4):355-357.
28.	Haq,I.,M.Ahmad,M.R.Khan and M.Hasan,		1992	Studies On Wheat Storage Losses Due To Insect Pest And Quality Analysis At Faisalabad & Sargodha. Pak. Entomol., 14(1-2): 77-80
29.	Ahmad Khawar Jawad, M. Riaz, Amjad Ali, M. Akhtar and A. Sardar		1992	Study on ecobiology of rice hispa Diadras armigera (Oliv.) J. Agric. Plant Sci. 2(3-4): 141-142.
30.	Aheer G.M., Ehsan-ul-Haq, M. Ulfat, Khawar Jawad and Amjad Ali-J		1993	Effect of sowing dates on aphids and grain yield in wheat. Agric. Res. 31(1):75-79
31.	Ali A., Munir Ahmad Bhatti and Khawar Jawad Ahmad		1993	Role of weather in fluctuation population of Amrasca devastans (Dist.) and Thrips tabaci (Lind.). Proc. Pak. Congr. Zool., Vol. 13, PP.133-139.
32.	Khan,M.R.,M.Ahmad,I.Haq and M.Hasan.		1993	Some Studies On The Incidence Of Aflatoxin In Stored Wheat At Faisalabad & Sargodha. Pak.Entomol.,15 (1-2): 1-4.
33.	Shafiq.M.,Manzoor-ul-Haq		1993	Effect of age and plucking time of mulberry leaves on the development and silk yield of silk worm Bombyx mori. Pak. Entomol., 15(1-2) 37-37
34.	Sabir,A.M.,A.H.Bhatti,I.Haq and M. Shafiq		1997	Horent Trap To control Vespa Orientalis L. And V. Ducalis Smith. Sci.Int (Lahore), 12(3), 313-315.
35.	Aheer G.M., M. Anwar Zia and Khawar Ahmad		1997	Response of wheat lines to aphid attack and effect on grain yieldJ. Agric. Res. 35(5):369-372.-

36.	Sabir,A.M.,A.H.Bhatti,I.Haq and A.Suhail	1998	The Foraging Behavior And Pollination Role Of Honeybee (<i>Apis Mellifera</i> L.) On Linseed. Pak.J.Biol.Sc.,2(3): 645-646.
37.	Cheema,N.M.,S.Ahmad.,A. Amjad Rana;S.Iqbal,I.A.Khan and A.Razzaq	1998	Quality case of sunflower seed at different ages after anthesis initiation. Acta Sci. 5(1):111-118.
38.	Aheer G.M., M. Anwar and Khawar Jawad Ahmad	1999	Role of abiotic factors on population dynamics of alate aphid of wheat in different ecological zones of the Punjab J. Agri. Res. 3(2-3):187-194
39.	Zia M.A., Aheer G.M., M. Kha Mumtaz and Khawar Jawad Ahmad,	1999	Field screening of 16 advanced line of wheat for resistance to aphid (<i>Homoptra</i> : aphididae). Pak. Ento. 21(1-2):95-97.
40.	Aheer,G.N.A.Malik,I.Ahmad and A.Razzaq	1999	Screening of Brassica varieties/advance lines against aphid attack. J.Agri.Res., 37(2-3); 195-200.
41.	Sabir,A.M.,A.H.Bhatti,I.Haq and A.Suhail.	2000	Bee Bait To Control Green Bee Eater (<i>Merops Orientalis</i> Latham.) With Zinc Phosphide. Sci. Int.(Lahore) 12(1): 109-110.
42.	Sabir,A.M.,A.H.Bhatti and I. Haq.	2000	Prospects Of Apiculture In The Punjab. Pak. J.Biol.Sc., 3(2): 365-367.
43.	Sabir,A.M.A.H.Bhatti, I.Haq,M.Shafiq	2000	Hornets trap to control <i>vespa orientalis</i> L. and <i>V.ducalis</i> smith. Sci. Int., 12(3): 313-315
44.	Ashfaq M., Khawar Jawad Ahmad and Amjad Au.	2002	Consumption and coefficient of utilization on various food plants offered to (<i>Helicoverpa arinigera</i> (Hubner) Pak. Entomologist 24(1):65-69.-2002
45.	Ashfaq M.. Khawar Jawad Ahmad and Arnjad Au	2002	Morpho physical factors effecting Consumption and coefficient of utilization of (<i>Helicoverpa armigera</i> (Hubner) P.J.A.S.3(4):225-230.
46.	Khawar Jawad Ahmad, Amjad Au and M. Ashfaq	2003	Chemical plant factors affecting consumption and coefficient of utilization of <i>Helicoverpa armigera</i> in different host plants J. Agri. Res. 41(1): 61-71
47.	Sabir,A.M., A.Suhail, M.Saleem, A.H.Bhatti & M. Shafiq,	2006	Beekeeping in the Punjab; A case study Abstr. Ento.-26, 26 th Pak Congress of Zoolgy, University of Punjab, Lahore P-

			74
48.	Ahmad Khawar Jawad, Nazir Ahmad Malik. Ahmad Saleern Akhtar and Muhammad Hamza	2006	Varietal resistance in wheat varieties/lines and sowing dates effects on aphid population. JAR.44(3):215-218
49.	I.Haq,et.at,	2007	Antagonistic Potential Of Bacterial Isolate Associated With Entomopathogenic Nematodes Against Tomato With Caused By Fusarium Oxysporium F. Sp., Lycopersici Under Greenhouse Conditions Pak.J.Bot., 39(1): 279-283.
50.	Ijaz,M.A.Mehmood: K.N.Shah:M.S.Iqbal and A. Razzaq.	2007	Screening of wheat germ plasm for resistance to folia and grain diseases. 3 rd Int. Conf. on Plant Pathology. Nov. 19-21/2007 Deptt. Of PPZ: Uni. Of Punjab Lahore.
51.	Sabir,A.M.,M.Saleem,A.Sohail.,M, Shafiq & A.Qadir	2007	A community based participatory approach in sustainable Agri. ecosystem through beekeeping in the Punjab. Abstr. Int. Conf. Bio-Res. Pak., Uni. A.A.Rwp April 25-27,2007. P-43
52.	Saleem, M. M,Shafiq, M.I.Haq, A.M.Sabir and Mansoor-ul-Hassan	2008	Evaluation of some miticides against varroa destructor varroidae: (Acari) in colonies of honeybees (Apis mellifera L.) Pak. Entomol. 30(2).
53.	Munir Ahmad Shahzad,Syed Abid Hussain Bukhari, Khawar Jawad Ahmad, Tariq Niaz and Hasan Tariq	2010	Yield response of Brassica varieties/strains in relation to mustard aphid Lipaphis erysimi (Kalt. Sci.Int(Lahore),22(3) 233-234
54.	Muhammad Izhar-ul-Haq, Khawar Jawad Ahmad,Sohail Ahmad and Asif Razzaq	2010	Characterization of some properties in different floral honeys collected by Apis mellefera Pak. Entomol.2011 32(2):72-81
55.	Khan K.A, K.J.Ahmad, A. Razzaq, K.H. Abbasi, M.Saleem and M. Arshad Ullah	2011	Pollination effect of Honey bees, Apis mellifera L (Hymenoptera:Aphidae) on Apple fruit development and its weight, Persian Gulf Crop Protection 2012 Vol-1(2), P-1-5
56.	Khawar Jawad Ahmed, Khalida Hamid Abbasi, Muhammad Shafiq, Asif Razzaq, Muhammad Saleem and M.Arshad Ullah	2012	Comparative study of conventional and modified type of beehives. Persian Gulf Crop Protection 2012 Vol-1(3) P.7-11.

57.	Khawar Jawad Ahmed, M. Shafiq Khalida Hamid Abbasi, , Asif Razzaq, M.Saleem and M.Arshad Ullah	2013	Production of Quality Queen by Artificial Rearing Technique(Larval Grafting). Persian Gulf Crop Protection 2013 Vol-2(2) P.26-29
-----	--	------	--

Muneer Abbas

1. Abbas M., M. Saleem, H.M. Saleem, Faisal Hafeez, Dilbar Hussain, M. Farooq, A. Ghaffar, N. Saeed and M. Ashraf, 2013. Population dynamics of citrus leaf miner, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad. *Wudpecker J. of Agri. Res.*, 2(6): 183-188.
2. Saleem M., D. Hussain, R. H. Rashid, H.M. Saleem, G. Ghouse, M. Abbas, 2013. Insecticidal activities of two citrus oils against *Tribolium castaneum* (Herbst). *American J. of Res. Comm.*, 1(6): 67-74.

Zafarullah Shah

- Hyder Ali and Zafar Ullah Shah, 1990. Field survey of top and stem borer infestation on different varieties of sugarcane in Faisalabad tehsil.pak *Entomol* 12(1-2):55-56.
- Aheer , G M . M. Anwar Zia and Zafar Ullah Shah ,2001.Efficacy of some foliar insecticides against *Amrasca devastans* (Dist) infesting Okra *Abelmoschus esculentus*(L).*J.Agric.Res.*39(2):145-148
- Aheer G. M ., Z.shah, M.Munir and Amjad Ali, 2005. Screening of different potato varsities /advanced lines against the attack of potato aphid,*Myzus Persicae*(Sulz).*J.Agric.Res*,43(3):269-271.
- Aheer G.M,Z.Shah and M.Saeed,2009.Seasonal history and biology of cotton Mealy Bug *Phenacoccus solani* Ferris.*J.Agri.Res.*,47(4);423-431

Dr Faisal Hafeez

- Faisal Hafeez, M. J. Arif, M. D. Gogi, K. Zia, H. Karar and M. Arshad, 2006. Survey of Entomophagous Insects in Cotton belt of Punjab, Pakistan. *Pakistan Journal of Biological Sciences*, 9(7): 1375-1380.
- Arif, M. J., M. D. Gogi, M. Mirza, K. Zia and Faisal Hafeez, 2006. Impact of plant spacing and abiotic factors on population of sucking insect pests of cotton. *Pakistan Journal of Biological Sciences*, 9(7): 1364-1369.

- Arshad, M., A. Suhail, S.A.A. Shah, M. Asghar, Faisal Hafeez and U. N. Ullah, 2006. Comparative studies on the external morphology of some species of the Genus *Aiolopus* Fieber (Orthoptera: Acrididae). *Biologia*. 52 (2): 229-239.
- Arshad, M., A. Suhail, M. Asghar, M. Tayyib and Faisal Hafeez, 2007. Factors influencing the adoption of Bt cotton in the Punjab, Pakistan. *Journal of Agriculture and Social Sciences*. 3 (4): 121-124.
- Zia K., Faisal Hafeez, R. R. Khan, M. Arshad and U. Naeem-Ullah, 2008. Effectiveness of *Chrysoperla carnea* (Stephens) (Neuroptera: Chrysopidae) on the Population of *Bemisia tabaci* (Homoptera: Aleyrodidae) in Different Cotton Genotypes. *Journal of Agriculture and Social Sciences*, 4(3): 112-116.
- Arshad M., A. Suhail, M. D. Gogi, M. Yaseen, M. Asghar, M. Tayyib, H. Karar, Faisal Hafeez and U. Naeem Ullah, 2009. Farmers' perceptions of insect pests and pest management practices in Bt cotton in the Punjab, Pakistan. *International Journal of Pest Management*, 55(1): 1-10. [Impact Factor: 0.586].
- Faisal Hafeez and K. Zia, 2009. Relative resistance of different maize varieties against insect pest complex harboring crop ecology. *Journal of Agriculture and Social Sciences*, 5(1-2): 52-54.
- Akram, W., Faisal Hafeez, U. N. Ullah, Y. K. Kim and A. Hussain, 2009. Seasonal distribution and species composition of daytime biting mosquitoes. *Entomological research*, 39(2): 107-113.
- Akram W, H. A. A. Khan, Faisal Hafeez, H. Bilal, Y. K. Kim and J. Lee, 2011. Potential of citrus seed extracts against dengue fever mosquito, *Aedes albopictus* (Skuse) (Culicidae: Diptera). *Pak. J. Bot.*, 42(4): 3343-3348.

- Faisal Hafeez, W. Akram, A. Suhail and M. A. Khan. 2010. Adulticidal action of ten citrus oils against *Aedes albopictus* (Diptera: Culicidae). Pak. J. of Agri. Sci., 47(3): 241- 244.
- Din. S.U., W. Akram, H.A.A. Khan, A. Hussain and Faisal Hafeez, 2011. Citrus wastes-derived essential oils: alternative larvicides for dengue fever mosquito *Aedes albopictus* (Skuse) [Culicidae: Diptera]. Pak. J. of Zool., 43(2): 367-372.
- Faisal Hafeez, W. Akram and E. A. Shaalan, 2011. Mosquito larvicidal activity of citrus limonoids against *Aedes albopictus*. Parasitology Res., 109(1): 221-229.
- Faisal Hafeez, W. Akram, A. Suhail and M. Arshad, 2012. Knowledge and Attitude of the Public towards Dengue Control in Urban and Rural areas of Punjab. Pak. J. of Zool., 44(1): 15-21.
- Zia K., Faisal Hafeez, M. Ashfaq, W. Akram, M.H. Bashir and H.A.A. Khan, 2012. Larvicidal action of four indigenous plant extracts against dengue vector *Aedes aegypti*. Pak. Entomol., 34(1): 93-97.
- Zia K., Faisal Hafeez, M.H. Bashir, B.S. Khan, R.R. Khan and H.A.A. Khan, 2013. Severity of cotton whitefly (*Bemisia tabaci* Genn.) population with special reference to abiotic factors. Pak. J. Agri. Sci., 50(2):1-6.
- Abbas M., M. Saleem, H.M. Saleem, Faisal Hafeez, D. Hussain, M. Farooq, A. Ghaffar, N. Saeed and M. Ashraf, 2013. Population dynamics of citrus leaf miner, *Phyllocnistis citrella* Stainton, and its control on citrus in nursery and orchard in Faisalabad. Wudpecker J. of Agri. Res., 2(6): 183-188.

Muhammad Latif

S.NO.	AUTHORS NAME	YEAR	TITLE/JOURNAL
1	Khan,M.R.;M. Ahmad; S. Ahmad, M. Latif,L.Rehman,S. Ali	1991	Some studies on varietal resistance of rice to leaf and plant hoppers. Sarhad J. Agric. Res. 7(1); 83-89

2	Aheer. G.M., M,Latif S.M.I. Jalali	1996	Varietal response in Okra <i>Abelmoschus esculentus</i> (Linn) against jassid <i>Amrsca devastans</i> and fruit and shoot borer <i>Earia</i> spp. <i>J. Agric. Res.</i> 34(4-5);297-300
3	Rasool, G. K, Din, G.M. Aheer,M.Saeed, M.Latif	1994	Occurrence and seasonal activity of cabbage root maggot, <i>Delia brassicae</i> (Weid) on cauliflower <i>J. Agric. Res.</i> 32(30); 315-317
4	Aheer, G.M, M. Latif, K.Din, M. Saleem	1995	Efficacy of some new insecticides against mango hoppers <i>Amritodus atkinsoni</i> (Leth.) Cicadellidae; Homoptera. <i>Pak. J, Agric. Sci.</i> 31(1); 49-51
5	Aheer, G. M. ,A. Ali,M. Saeed,M. Latif	2001	Effect of weather factors on population fluctuation of aphids and its coccinellid predators on sorghum at Bahawalpur <i>Pak. Entomol.</i> 23(1-2);27-31
6	Latif, M. G,M. Aheer, M. Saeed	1999	Role of transplanting dates on aphid incidence in caukiflower <i>Pak. Entomol.</i> 21(1-2);49-52
7	Latif, M. G,M. Aheer, M. Saeed	1999	Quantitative losses in tomato fruits by <i>Heliothis armigera</i> <i>Pak. Entomol.</i> 21(1-2);87-88
8	Aheer, G.M.,A, Ghani,Z,Iqbal,M,Latif	2000	Efficacy of different Methamidaphos insecticides at varying doses against whitefly <i>Bemisia tabaci</i> in cotton <i>J. Agric. Res.</i> 38(3);225-228
9	Latif,M., M.Saeed,G.M. Aheer ,S. Saeed	2004	Population dynamics of aphids and leaf miner on different varieties of peas <i>Indus J. Pl. Sci.</i> 3(3);276-278
10	Latif,M.,S..Saeed,,M. Saeed	2004	Ovicidal effect of different insecticides on <i>Helicoverpa armigera</i> laid on cotton in field and laboratory conditions <i>Biosci. Res.</i> 1(1);123-15
11	Wains, M. S.,A. Rehman, M. Latif, M. Hussain	2008	Aphids dynamics in wheat as affected by weather and crop planting time <i>J. Agric. Res.</i> 46(4);361-366
12	Amjad Ali, N. Din, Noor-ul- Islam, Z. Iqbal, M. Latif and M. Saleem,	2012	Management of sugarcane borers by the application of <i>Trichogramma chilonis</i> (Ishida) cards at different intervals. <i>Jour. Agric. Res.</i> , 50(3):373-380.

Dr Ibrar Ahmad(Entomologist)

- ❖ Haq, I; T. Niaz; M. H. Babar; M. Saleem and Ziaullah, 2013. Sustainable management of mango mealy bug, *Drosicha stabbengi* Gr. (submitted for publication in Journal of Agri. Research).
- ❖ Haq, I; M. H. Babar; Z. Iqbal; N. Din and M. Saleem, 2013. Management of brinjal fruit and shoot borer *Lucinodus orbonalis* by bio-control agent *Trichogramma chilonis*. (submitted for publication in Sci. International)
- ❖ Haq, I; M. H. Babar; Z. Iqbal; M. Saleem and Ziaullah, 2013. Comparative efficacy of *Bacillus thuringiensis* (Bt) and Nuclear polyhedrosis virus (NPV) against *Spodoptera litura* F. on Okra. (submitted for publication in Sci. International)
- ❖ Babar, M. H., Haq, I; Babar; Z. Iqbal; H. Malik and M. Saleem, 2013. Evaluation of some new insecticides against whitefly, *Bemisia tabaci* (genn.) and jassid, *Amarasca devastans* (dist.) on cotton, Bt-121. (submitted for publication in JAR)
- ❖ Aheer, G.M., A.M. Hussain, Z. Iqbal and Mahmood Ahmad, 1994. Effects of defoliants on insect pest population, boll opening and yield of cotton. *Pak. J. Agric. Sci.*, 31(2): 141-144.
- ❖ Ahmad, M., Amjad Ali, Z. Iqbal and M. Haq, 1994. Chemical control of greater wax moth, *Galleria mellonella* L. *J. Agric. Res.* 32(4):95-99.
- ❖ Aheer, G.M., M. Hussain, Z. Iqbal, A. Ali and M. Ramzan, 1997. Role of detergents in increasing the efficacy of insecticides against whitefly (*Bemisia tabaci* Genn.) the vector of cotton leaf curl virus. *J. Agric. Res.* 5(4): 253-257.
- ❖ G. M. Aheer, A. Ghani, Z. Iqbal and M. Latif, 2000. Efficacy of different methamidaphos insecticides at varying doses against whitefly *Bemisia tabaci* (Genn.) in cotton. *J. Agric. Res.* 38(3):225-228.
- ❖ Aheer, G. M., A. Ali, Z. Iqbal and M. Munir, 2005. A survey on the intensity of *Epiricaniamelanoleuca* (Fletcher) on sugarcane trash in Punjab. *Pak Sugar Jour.*, 20 (6): 14-16.

- ❖ Hussain D. M. Akram, Z. Iqbal, A. Ali and M. Saleem, 2010. Effect of some insecticides on *Trichogramma chilonis* Ishii (*Trichogrammatidae* : *Hymenoptera*) immature and adult survival. *JAR* 48(4) P-537-537.
- ❖ Amjad Ali, Naima Din, Noor-ul-Islam, Zafar Iqbal, M. Latif and Muhammad Saleem. 2012 management of sugarcane borers by the application of *Trichogramma chilonis* (Ishida) cards at different intervals *J. Agric. Res.* 50(3): 373-380.
- ❖ Abbas, Q., M. J. Arif, M. Ashfaq, H. A. Sayyad and M. A. Khan, Accepted. Comparison of canola (*brassica napus*) genotypes for resistance against aphids (*Brevicoryne brassicae*, *Myzus persicae* and *Lipaphis erysimi*) grown under different farming systems. *Pak. Entomol.*
- ❖ Abbas, Q., M. J. Arif, M.D. Gogi, H. A. Sayyad and H. Karar, 2012. Performance of imidacloprid, thiomethoxam, acetamaprid and a biocontrol agent (*Chrysoperla carnea*) against whitefly, jassid and thrips on different cotton cultivars. *World J. of Zool.* 7 (2): 141-146.
- ❖ Arif, M.J., Q. Abbas, M.D. Gogi, M. Ashfaq, H.A. Sayyad, M.A. Khan and H. Karar, 2012. Performance of some insecticides against canola aphids and associated coccinellid predators under field conditions. *Pak. Entomol.*, 34(1): 37-41.
- ❖ Babar, M. H., M. Ashfaq; M. Afzal, M. H. Bashir¹ and M. A. Ali, 2013. Efficacy of different insecticides against mushroom sciarid fly (*Lycoriella auripila*) in Punjab, Pakistan. *Pakistan Journal of Nutrition* 12 (x): xx-xx, (paper accepted)
- ❖ Babar, M. H., Haq, I; Babar; Z. Iqbal; H. Malik and M. Saleem, 2013. Evaluation of some new insecticides against whitefly, *Bemisia tabaci* (Genn.) and jassid, *Amarasca devastans* (dist.) on cotton, Bt-121. (submitted for publication in *JAR*)
- ❖ Din, N. M. H. Babar, I. Haq, Z. Iqbal and M. S. 2013. Thrips *Tabaci* (*Thysanoptera: Thripidae*)- A Menace for Onion Crop in Punjab (Pakistan). (Submitted for publication in *Pakistan. Journal of Zoology*).
- ❖ Haq, I; M. H. Babar; Z. Iqbal; M. Saleem and Ziaullah, 2013. Integrated pest management of fruit flies in guava orchards. 33rd Pakistan Congress of Zoology (International) dated April 2-4.
- ❖ Haq, I; T. Niaz; M. H. Babar; M. Saleem and Ziaullah, 2013. Sustainable management of mango mealy bug, *Drosicha stabbengi* Gr. (submitted for publication in *Sci. International*)

- ❖ Haq, I; M. H. Babar; Z. Iqbal; N. Din and M. Saleem, 2013. Management of brinjal fruit and shoot borer *Lucinodis orbonalis* by bio-control agent *Trichogramma chilonis*. (submitted for publication in Sci. International).
- ❖ Haq, I; M. H. Babar; Z. Iqbal; M. Saleem and Ziaullah, 2013. Comparative efficacy of *Bacillus thuringiensis* (Bt.) and Nuclear polyhedrosis virus (NPV) against *Spodoptera litura* F. on Okra. (submitted for publication in Sci. International)

- ❖
- ❖ Gogi., M.D., M.J. Arif, M. Asif, Zain-ul-Abdin¹, M.H. Bashir, M. Arshad, M.A. Khan, Q. Abbas, M.R. Shahid and A. Anwar, 2012. Impact of nutrient management schedules on infestation of *bemisia tabaci* on and yield of non-bt cotton (*Gossypium hirsutum*) under unsprayed condition. *Pak Entomol.*, 34(1): 87-92.
- ❖ Karar, H., M.J. Arif, A. Ali, A. Hameed, G. Abbas and Q. Abbas, 2012. Assessment of Yield Losses and Impact of Morphological Markers of Various Mango (*Mangifera indica*) Genotypes on Mango Mealybug (*Drosicha mangiferae* Green) (Homoptera: Margarodidae). *World J. Zool.*, vol. 44(6):1643-1651.